

SEARCH

INSPECTION MIRRORS



Available from : **SSPA** +612 4645 7600 www.ssipa.net.au

Under Vehicle Inspection Mirror- Military

Z - SSPA/WECD - 2

CAT. NO.	DESCRIPTION
Z-SSPAWECD-2	EXTENDABLE MIRROR

Feature:

Lens Size: 12" highly intensity shatterproof acrylic mirror.

Rods Length: Aluminum handles extend 158CM.

Wheel Qty: tripod ball bearing caster wheel.

Mirror Material: Aluminum telescopic rod, the angle between the rod and the mirror can be adjusted arbitrarily, and no dead angle.

The regular rod length is 158CM. If there are special requirements, the length of the telescopic rod can be infinitely extended. From 120cm to 158cm

Lighting Source: LED flashlight with adjustable head

Lower ground clearance. The height of the mirror surface is reduced, and more low-level environments can be entered into. 10cm clearance.

Easy assemble: Fully manual installation and disassembly without any tools.

Light-weight: Ultra-light weight, full set weight is only 1000g.

Carry bag: equipped with a special nonwoven carrying bag.

Materials are in line with the overall process ROHS standards, suitable export to other countries.

Easy Carry

Our products can be folded rod, fixed after a good one person can be put away.

Can be equipped with easy to carry bag, can be dismantled when not in use and collection.

Materials are in line with the overall process RHOS standards, suitable export to other countries.



Z-SSPA/SMTL

Telescopic Inspection Mirror + LED Light



The Telescopic Mirror Kit Z-TSML is convenient and highly effective search kit. Perfect for those high 'hard to reach' inspections. 3 STAGE quick release snaps. The Kit contains one telescopic mirror arm and 1 x 152mm (6"inch) mirror. The mirror is set in black polypropylene frames with screw fixing studs. The telescopic arm has four-sections, with nonslip rubber (non conductive) soft handle, adjustable mirror head. Complete with a new design LED Light torch assembly.

CAT. NO.	DESCRIPTION
Z-SSPA/STML	Telescopic inspection Mirror + LED

Mirror Specifications:
Mirrors: 1x 152mm (6 inch) mirror weighs 9 gms



Telescopic Arm Specifications:
Arm & Light Pod Specifications Extended
length: 1300mm(51.181 inches)
Closed length: 500mm (19.685in)
Handle diameter: 27mm (1.063in) tapered
Weight: 20gms

Light: LED (2 x CR2032 Lithium Batteries))
Fitting: Plastic universal light holder

Z-SSPA/MT2

Telescopic Inspection Mirror + LED Light (rechargeable)



The Telescopic Mirror Kit Z-SSPA/MT2 is convenient and highly effective search kit.

Its rechargeable and has 15 LED high-lite globes for added viewing in hard to see locations.

The Kit contains 1 x two-stage telescopic mirror arm and 1 x 300mm x 300mm acrylic mirror on 4 x heavy-duty rubberised bearing castors.

The mirror is set in black alloy frame with rivet & screw fixing studs.

The telescopic arm comes with a nonslip rubber (non conductive) soft handle, extends from 500mm to 1100mm

A on/off switch located next to the re-charge plug with a velcro strap to secure the device while being transported.

CAT. NO.	DESCRIPTION
Z-SSPA/MT2	Telescopic inspection Mirror + LED Rechargeable

Mirror Specifications:

Mirrors: 1x 300mm x 300mm acrylic safety mirror/concave

Telescopic Arm Specifications:

Arm & Light Pod Specifications Extended

length: 1300mm (43.30 inches)

Closed length: 500mm (19.685in)

Handle diameter: 30mm (1.18in) tapered

Weight: 2.8 kg

Light: LED (15 x LEDs strip/ rechargeable battery)

Under Vehicle Inspection Camera - Military

Z - SSPA/UVC-3

Product Parameters

- Working voltage: DC12V.
- 220mA: working current.
- Specification: 4.3 inch TFT LCD digital. 640x480 pixel
- Resolution: 16:9 color + sunshield
- Rod adjustment: 90 cm to 110 cm
- Battery: Li Technology 2800mA
- Wide-angle lens perspective: 150 °.
- View distance: 3-5 meters
- Opertaing time: vriable approx 5 hrs
- Recharge: 2hrs (dependant on power source)



CAT. NO.	DESCRIPTION
Z-SSPA/UVC-3	Under vehicle inspection camera

- The 4.3inch high resolution LCD screen is attached to a Li battery housing and can be adjusted to 150 degree angle.
- The rod can extend from 90 cm to 110 cm.
- Using aircraft type triangular wheels, operation, use lighter more comfortable.
- Specially designed arm rest and handle is ideal for easier handling and manouvering in any condition.

Operation

One touch button
to power on.
Soft handle.



Monitor

4.3 inches
High resolution
Brightness could be set
150 degree tilting



Mirror

Vehicle protective cap
Dua-bearing wheel
Strengthened shaping.
Longer reaching
design



Battery: Li technology battery
2800mAh capacity.
Using time: about 5 Hrs
Charging time: about 3 Hrs